

Our products are crafted from American White Oak, American Black Walnut, and American Hard Maple. These quintessential hardwoods are considered among the most durable. Our wood is a proprietary blend that elevates the under-utilized parts of the tree, focusing on character, durability, and beauty.

Our region is net positive in tree harvesting and we take care in our sourcing to see that nothing goes to waste. As part of our commitment to sustainability, we initiated our “Tree for Every Top” program in 2021. For every tabletop we sell, we plant a sapling in our community as an investment in the environment.

Each tabletop is finished with a durable, UV-resistant, matte top coat. This makes our products built-to-last as well as easy to clean. Our signature finishes complement and emphasize the natural beauty and color of the wood.




AMERICAN WHITE OAK

A classic material in American design, American White Oak is durable and naturally beautiful.

AVAILABLE FINISHES



Cask Natural Barley Rye



Port Carbon Smoked



AMERICAN BLACK WALNUT

With its distinctive grain pattern and rich coloring, American Black Walnut provides instant warmth and sophistication.

AVAILABLE FINISHES



Natural



AMERICAN HARD MAPLE

American Hard Maple has a creamy blonde color and subtle grain patterns that bring brightness to any space.

AVAILABLE FINISHES



Natural

SEE LARGER FINISH IMAGES ON THE FOLLOWING PAGES



A classic material in American design, American White Oak is durable and naturally beautiful.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.

Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1360 Janka Hardness Scale
KNOTS	Knots will be present and are filled with black resin
TEXTURE	Sanded smooth
HOLES	Surface holes from insects may be present
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity.
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





A classic material in American design, American White Oak is durable and naturally beautiful.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.


Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1360 Janka Hardness Scale
KNOTS	Knots will be present and are filled with black resin
TEXTURE	Sanded smooth
HOLES	Surface holes from insects may be present
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity.
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





A classic material in American design, American White Oak is durable and naturally beautiful.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.


Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1360 Janka Hardness Scale
KNOTS	Knots will be present and are filled with black resin
TEXTURE	Sanded smooth
HOLES	Surface holes from insects may be present
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity.
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





A classic material in American design, American White Oak is durable and naturally beautiful.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.

Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1360 Janka Hardness Scale
KNOTS	Knots will be present and are filled with black resin
TEXTURE	Sanded smooth
HOLES	Surface holes from insects may be present
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity.
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





A classic material in American design, American White Oak is durable and naturally beautiful.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.


Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1360 Janka Hardness Scale
KNOTS	Knots will be present and are filled with black resin
TEXTURE	Sanded smooth
HOLES	Surface holes from insects may be present
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity.
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





A classic material in American design, American White Oak is durable and naturally beautiful.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.

Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1360 Janka Hardness Scale
KNOTS	Knots will be present and are filled with black resin
TEXTURE	Sanded smooth
HOLES	Surface holes from insects may be present
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity.
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





A classic material in American design, American White Oak is durable and naturally beautiful.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.

Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1360 Janka Hardness Scale
KNOTS	Knots will be present and are filled with black resin
TEXTURE	Sanded smooth
HOLES	Surface holes from insects may be present
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity.
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





With its distinctive grain pattern and rich coloring, American Black Walnut provides instant warmth and sophistication.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.

Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1010 Janka Hardness Scale
KNOTS	Knots will be present and are filled with black resin
TEXTURE	Sanded smooth
HOLES	Surface holes from insects may be present
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





American Hard Maple has a creamy blonde color and subtle grain patterns that bring brightness to any space.

CARE AND MAINTENANCE


- Use a solution of mild soap and warm water for daily cleaning.
- Avoid abrasive soaps or cleansers.
- Spray soap solution and wipe clean with a cloth.
- Always wipe up moisture promptly and dry with a soft cloth.
- Bar Brilliance is tested and recommended for cleaning Crow Works wood products.
- Wood will expand and contract with seasonal humidity changes. Maintain consistent humidity levels to minimize movement in the wood and prevent warping.

Note: All computer monitors, mobile devices, and printers show color differently. Please obtain a real wood sample for better color accuracy. The images in this document may not be an exact wood grain or stain representation.

HARDNESS	1450 Janka Hardness Scale
GRAIN VARIATION	Minimal flecking, mineral streaks may be present
TEXTURE	Sanded smooth
CHECKS	Minor checks may occur at the end of table with changes in temperature and humidity
SUITABLE FOR OUTDOOR USE	No
KEEP IN HUMIDITY RANGE	30%-50%
KEEP IN TEMPERATURE RANGE	55°-85°

TABLETOP GRAIN DIRECTION

Wood grain runs with long side of top, unless otherwise specified.





STEEL

We utilize cold rolled and hot rolled steel depending on the needs of the design. Both methods produce made-to-last products that can be easily customized. Steel can be cut and welded for versatile use.

CARE AND MAINTENANCE

- Use a solution of mild soap and water for cleaning.
- Dry promptly.

CAST ALUMINUM

Created using a sand cast, this slow and meticulous process adds durability and strength to the aluminum. A lighter alternative to steel in terms of weight, it can be easily customized with our selection of finishes and RAL color matching.

CARE AND MAINTENANCE

- Use a solution of mild soap and water for daily cleaning.
- Dry promptly.

FINISH COLOR OPTIONS	Gunmetal, Sea Salt, Aged Brass, Battleship Gray, Charcoal, Graphite, Brick, Fire Engine Red, Construction Orange, Caution Yellow, Pistachio, Leaf Green, Harbor Green, Light Blue, Signal Blue, Anchor, Custom
FOOD SAFE	Yes
SUITABLE FOR OUTDOOR USE	No



TOBACCO

SADDLE

NAVY

Our leather is full-grain, which retains the tan's natural imperfections and character marks. It's dyed with pure aniline and a lightly-distressed finish to highlight the natural beauty of the fabric.

CARE AND MAINTENANCE

- Mild soap and water is recommended, though solutions of up to 10% bleach can be used.
- Avoid abrasive soaps or cleansers as well as applying intense pressure when wiping.
- Use a clean, soft cloth to blot the surface of affected area.
- Rinse with water-soaked cloth after applying cleaning solutions, then wipe dry.

COLOR OPTIONS	Tobacco, Saddle, Navy
MATERIAL DETAILS	Aniline-Dyed American Steer Hide
TEXTURE	Waxy with light distressing and natural markings
FINISH	Crypton® coated
AVERAGE THICKNESS	1.1-1.3mm
ABRASION RATING	ASTM D7255: CS10 Wheel Taber 500 Cycles/500 gram weight
STAIN RESISTANCE	High
ENVIRONMENTAL FACTORS	Low VOCs Lead Free Solvent Free
FLAME RESISTANCE	NFPA 260 Class 1 CAL TB117-2013 Boston Fire Code NY/NJ PortAuthority IMO 2010 FTP Part 8 (A.652(16))
SUITABLE FOR OUTDOOR USE	No



Ultraleather® I Pro is crafted with passion and purpose. Imbued with optimal durability, protection, and ease of care attributes, Pro maintains the Ultraleather reputation as the softest in its class and is infused with comfort and power combined. Added features include exceptional abrasion resistance, repellency of most stubborn stains like ink, denim dye, red wine, mustard, and iodine-based liquids, along with EPA-registered antimicrobial protection. It is SCS Indoor Advantage Gold certified and Greenguard certified. An extensive color palette provides numerous options for upholstery applications.

CARE AND MAINTENANCE

- Wipe up spills as soon as they occur.
- Clean with soap and water.
- Sanitize using disinfectants such as (1:5) bleach/water solution.
- For stubborn stains, wipe off with isopropyl alcohol as soon as possible.
- Thoroughly rinse all solution residue with clean water.
- Air dry.

COLOR OPTIONS

Blush, Rhubarb, Campfire, Raw Sienna, Melon, Arugula, Agave, Blue Bird, Oxford Blue, Aubergine, Moon Glow, Woodcres, Char, Dark Knight, Dark Chocolate

MATERIAL DETAILS

100% Polycarbonate
Polyurethane Surface
Reinforced Rayon Backing

TEXTURE

Fine grain, soft matte texture

FINISH

EPA-registered antimicrobial protection

AVERAGE THICKNESS

0.95 Millimetres

ABRASION RATING

500,000 double rubs (Wyzenbeek)
200,000 rubs (Martindale)

STAIN RESISTANCE

High

ENVIRONMENTAL FACTORS

Low VOCs
Lead Free
BPA, POP, and PVC Free

FLAME RESISTANCE

ASTM E84 (Adhered) Class A
CA TB 117
FMVSS 302 & 95/28 Annex IV
NFPA 260 Class 1
UFAC Class 1

SUITABLE FOR OUTDOOR USE

No



Acclaim is a linen weave plain texture with a subtle tonal coloration. Acclaim features antimicrobial silver ion technology, 60% post-consumer recycled content, is bleach-cleanable, and Greenguard Gold certified.

CARE AND MAINTENANCE

- Wipe up spills as soon as they occur.
- Clean with soap and water.
- Sanitize using disinfectants such as (1:9) bleach/water solution (do not clean/disinfect fabric for longer than 10 minutes).
- Thoroughly rinse all bleach solution residue with clean water.
- Air dry.

COLOR OPTIONS	Cardinal, Sunflower, Basil, Indigo, Ebony, Greige, Parchment, Limestone, Alabaster
MATERIAL DETAILS	60% Post-Consumer Recycled Polyester, 40% Polyester Crypton Green Backing
TEXTURE	Woven
FINISH	Crypton Green with Antimicrobial Silver Ion Technology
WEIGHT	30.67 oz/linear yard
ABRASION RATING	305,000 double rubs (Wyzenbeek)
STAIN RESISTANCE	High
ENVIRONMENTAL FACTORS	Carbon Neutral Company Greenguard Gold Certified
FLAME RESISTANCE	Passes Cal 117-2013 NFPA 260/UFAC Class 1
SUITABLE FOR OUTDOOR USE	No